





APC Smart-UPS RT 192V 32x5Ah BP without Rail kit

SRTG192XLBP4

Overview

Lead Time Usually in Stock

Main

Product Or Component Type	Battery	
Number Of Rack Unit	3U	
Battery Type	Lead-acid battery	
Provided Equipment	Installation guide Warranty card	

Batteries & Runtime

Device Mounting	Stand alone battery stack Rack mount	
Number Of Battery Filled Slots	4	
Number Of Battery Free Slots	0	
Number Of Battery Replacement Quantity	2	
Battery Voltage	192 V	
Replacement Battery	APCRBC174 [7]	

Physical

Colour	Black	
Height	13 cm	
Width	44 cm	
Depth	68.3 cm	
Net Weight	91 kg	
Mounting Mode	Rack-mounted	
Usb Compatible	No	

Environmental

Ambient Air Temperature For Operation	040 °C	
Relative Humidity	095 % non-condensing	
Operating Altitude	06600 ft	
Storage Relative Humidity	095 % non-condensing	
Storage Altitude	0.0015240.00 m	

Excluding VAT, FCA Jabal Ali & are subject to change – check with your local distributor.

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	33.5 cm
Package 1 Width	78 cm
Package 1 Length	58 cm
Package 1 Weight	101.5 kg

Contractual warranty

Warranty 2 years



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information